Author Index

Abedini, S *see* Namdari, R
Adamek, J *see* Brzuska, E
Ahmad, M H *see* Roustaian, P
Ahmed, M *see* Veerina, S S
Al Hafedh, Y S. Effects of dietary protein on growth and body composition of Nile tilapia, *Oreochromis niloticus* L., 385
Alder, J *see* Doupé, R G
Alexis, M *see* Rigos, G
Alfonsi, C *see* Perez, J E
Ali, F & Nakamura, K. Effect of temperature and relative humidity on the tolerance of the Japanese clam, *Ruditapes philippinarum* (Adams & Reeve), to air exposure, 629
Ali, M H *see* Wahab, M A
Alonso-Bedate, M *see* Guijarro, A I
Ambali, A J D, Doyle, R W & Cook, D I. Genetic changes in *Oreochromis shiranus* (Trewavas) associated with the early stages of national aquaculture development in Malawi, 579
Andrade, J.P. *see* Domingues, P.M.
Arnesen, A M *see* Myoung, J G
Ault, J S *see* Serafy, J E
Avendaño, R E & Riquelme, C E. Establishment of mixed-culture probiotics and microalgae as food for bivalve larvae, 893
Azim, M E *see* Wahab, M A

Babiak, I *see* Brzuzan, P
Babiak, I *see* Glogowski, J
Babiak, I, Fraser, L, Dobosz, S, Goryczko, K, Kuzminski, H & Strzezek, J. Computer-controlled freezing of rainbow trout *Oncorhynchus mykiss* (Walbaum), spermatozoa for routine programmes, 707
Balogun, A M *see* Fasakin, E A
Barcellos, L J G, Nicolaiewsky, S, de Souza, S M G & Lulhier, F. Plasmatic levels of cortisol in the response to acute stress in Nile tilapia *Oreochromis niloticus* (L.), previously exposed to chronic stress, 437
Barcellos, L J G, Nicolaiewsky, S, de Souza, S M G & Lulhier, F. The effects of stocking density and social interaction on acute stress response in Nile tilapia *Oreochromis niloticus* (L.) fingerlings, 887
Barki, A *see* Harpaz, S
Barniol, R *see* Jimenez, R
Basiao, Z U & Doyle, R W. Test of size-specific mass selection for Nile tilapia *Oreochromis niloticus* L., cage farming in the Philippines, 373
Batty, R S *see* Hossain, M A R
Belal, I E H. Replacing dietary corn with barley seeds in Nile tilapia, *Oreochromis niloticus* (L.), feed, 265
Bell, J D *see* Hart, A M
Beveridge, M C M *see* Chen, Y-S
Beveridge, M C M *see* Hossain, M A R
Beveridge, M C M *see* Wahab, M A

Biagi, C A *see* Devlin, R H
Birkbeck, T H *see* Ringo, E
Bjerkeng, B *see* Mork, O I
Bjerkeng, B, Hamre, K, Hatlen, B & Wathne, E. Astaxanthin deposition in fillets of Atlantic salmon *Salmo salar* L. fed two dietary levels of astaxanthin in combination with three levels of α-tocopheryl acetate, 637
Björnsson, B Th *see* Devlin, R H
Black, K D *see* (The Late), N
Blyth, P J, Kadri, S, Valdimarsson, S K, Mitchell, D F & Purser, G J. Diurnal and seasonal variation in feeding patterns of Atlantic salmon, *Salmo salar* L., in sea cages, 539
Blyth, P *see* Chen, W-M
Bransden, M P & Carter, C G. Effect of processing soybean meal on the apparent digestibility of practical diets for the greenback flounder *Rhombosolea tapirina* (Günther), 719
Brennan, D C *see* Preston, N P
Britz, P J *see* Sales, J
Brown, J H *see* Tayamen, M
Brzuska, E & Adamek, J. Artificial spawning of European catfish, *Silurus glanis* L.: stimulation of ovulation using LHRH-a, Ovaprim and carp pituitary extract, 59
Brzuska, E & Grzywaczewski, R. Artificial spawning of carp *Cyprinus carpio* L.: differences between the effects on reproduction in females of Israeli strain Dor-70 and its cross-breed treated with carp pituitary and Ovopel, 559
Brzuska, E. Artificial spawning of herbivorous fish: use of an LHRH-a to induce ovulation in grass carp *Ctenopharyngodon idella* (Valenciennes) and silver carp *Hypophthalmichthys molitrix* (Valenciennes), 849
Brzuzan, P & Babiak, I. Genotyping of individual fish oocytes based on polymerase chain reaction amplification of mitochondrial DNA, 465
Bureau, D P *see* Page, G I
Burford, M A & Glibert, P M. Short-term nitrogen uptake and regeneration in early and late growth phase shrimp ponds, 215
Burnell, G M *see* Maguire, J A

Campos Ramos, R *see* Dumas, S
Capo, T R *see* Serafy, J E
Caraveo-Patiño, J *see* Serrano-Pinto, V
Carter, C G *see* Bransden, M P
Cashmore, D *see* Maguire, J A
Chaitanawisuti, N & Kritsanapuntu, A. Effects of different feeding regimes on growth, survival and feed conversion of hatchery-reared juveniles of the gastropod mollusc spotted babylon *Babylonia areolata* (Link 1807) in flowthrough culture systems, 589
Chen, W-M, Purser, J & Blyth, P. Diel feeding rhythms of greenback flounder *Rhombosolea tapirina* (Günther

© 1999 Blackwell Science Ltd.

1862): the role of light–dark cycles and food deprivation. 529
Chen, Y-S. Beveridge, M C M & Telfer, T C. Settling rate characteristics and nutrient content of the faeces of Atlantic salmon, *Salmo salar* L., and the implications for modelling of solid waste dispersion. 395
Chereguini, O, García de la Banda, I, Rasines, I & Fernandez, A. Artificial fertilization in turbot, *Scophthalmus maximus* (L.): different methods and determination of the optimal sperm–egg ratio. 319
Chu, J C W *see* Leung, K M Y
Chuntapa, B, Piyatiratitivorakul, S, Nitithamyong, C, Viyakarn, V & Menasveta, P. Optimal lipid:carbohydrate and protein:energy ratios in semi-purified diets for juvenile black tiger shrimp *Penaeus monodon* Fabricius. 825
Cook, D I *see* Ambali, A J D
Corneillie, S *see* Talbot, C
Correa, F *see* De La Rosa-Vélez, J
Cowan, V J, Lorenzen, K & Funge-Smith, S J. Impact of culture intensity and monsoon season on water quality in Thai commercial shrimp ponds. 123
Cripps, S J *see* Liltved, H
Crocos, P J *see* Preston, N P
Crumlish, M & Inglis, V. Improved disease resistance in *Rana rugulosa* (Daudin) after β-glucan administration. 431
Cruz, E M *see* Ridha, M T

de Barniol, L *see* Jimenez, R
de Graaf, G J, Galemoni, F & Huisman, E A. Reproductive biology of pond reared Nile tilapia (*Oreochromis niloticus* L.). 25
de la Rosa-Vélez, J, Escobar, R, Correa, F & Félix, E. High allozyme variation and genetic similarity of two populations of commercial penaeids, *Penaeus brevirostris* (Kingsley) and *P. vannamei* (Boone), from the Gulf of California. 459
De Marco, P, Jr, Latini, A O & Reis, A P. Environmental determination of dragonfly assemblage in aquaculture ponds. 357
de Pedro, N *see* Guijarro, A I
De Silva, S S *see* Veerina, S S
de Souza, S M G *see* Barcellos, L J G
Deacon, N & Hecht, T. The effect of reduced salinity on growth, food conversion and protein efficiency ratio in juvenile spotted grunter, *Pomadasys commersonnii* (Lacépède) (Teleostei: Haemulidae). 13
Delgado, M J *see* Guijarro, A I
Demska-Zakes, K & Zakes, Z. The effect of 11 β-hydroxyandrostenedione on pikeperch *Stizostedion lucioperca* (L.). 731
Devlin, R H, Johnsson, J I, Smailus, D E, Biagi, C A, Jönsson, E & Björnsson, B Th. Increased ability to compete for food by growth hormone-transgenic coho salmon *Oncorhynchus kisutch* (Walbaum). 479
Diaz, N F *see* Estay, F
Divakaran, S & Velasco, M. Effect of proteolytic enzyme addition to a practical feed on growth of the Pacific white shrimp, *Litopenaeus vannamei* (Boone). 335
Divakaran, S, Kim, B G & Ostrowski, A C. Digestive enzymes present in Pacific threadfin *Polydactylus sexfilis* (Bloch and Schneider 1801) and bluefin trevally *Caranx melampygus* (Cuvier 1833). 781
Dobosz, S *see* Babiak, I
Domingues, P M, Turk, P E, Andrade, J P & Lee, P G. Culture of the mysid, *Mysidopsis almyra* (Bowman), (Crustacea: Mysidacea) in a static water system: effects of density and temperature on production, survival and growth. 135
Dores, E *see* Pousão-Ferreira, P
Doroudi, M S, Southgate, P C & Mayer, R J. The combined effects of temperature and salinity on embryos and larvae of the black-lip pearl oyster, *Pinctada margaritifera* (L.). 271
Doupé, R G, Alder, J & Lymbery, A J. Environmental and product quality in finfish aquaculture development: an example from inland Western Australia. 595
Doyle, R W *see* Ambali, A J D
Doyle, R W *see* Basiao, Z U
Duda, P, Gela, D & Linhart, O. Top-crossing with paternal inheritance testing of 4-month-old common carp *Cyprinus carpio* L. progeny in three altitude conditions. 911
Dumas, S & Campos Ramos, R. Triploidy induction in the Pacific white shrimp *Litopenaeus vannamei* (Boone). 621

Ejiogu, C O *see* Njoku, D C
El-Dahhar, A A. Effect of heat-treated feed and exogenous zymogen on survival and growth of grey mullet, *Liza ramada* (Risso), larvae in Egypt. 165
Erfanullah & Jafri, A K. Growth, feed conversion, body composition and nutrient retention efficiencies in fingerling catfish, *Heteropneustes fossilis*(Bloch), fed different sources of dietary carbohydrate. 43
Escobar, R *see* De La Rosa-Vélez, J
Estay, F, Vergara, C & Diaz, N F. Reproductive performance of cultured Atlantic salmon *Salmo salar* L. 1758 in Chile. 759

Fagbenro, O A. Formulation and evaluation of diets for the African catfish, *Clarias gariepinus* (Burchell), made by partial replacement of fish meal with winged bean (*Psophocarpus tetragonolobus* L. DC) seed meal. 249
Falk-Petersen, I-B, Hansen, T K, Fieler, R & Sunde, L M. Cultivation of the spotted wolffish *Anarhichas minor* (Olafsen) – a new candidate for cold-water fish farming. 711
Fasakin, E A, Balogun, A M & Fasuru, B E. Use of duckweed, *Spirodela polyrrhiza* L. Schleiden, as a protein feedstuff in practical diets for tilapia, *Oreochromis niloticus* L., 313
Fasuru, B E *see* Fasakin, E A
Favaloro, E *see* Mazzola, A
Félix, E *see* De La Rosa-Vélez, J
Fernandez, A *see* Chereguini, O
Ferreiro Almeda, M S *see* López-Ruiz, J L
Fieler, R *see* Falk-Petersen, I-B
Flores-Nava, A & Vera-Muñoz, P. Growth, metamorphosis and feeding behaviour of *Rana catesbeiana* Shaw 1802 tadpoles at different rearing densities. 341
Forman, J *see* Hickman, R W
Forsman, L *see* Pirhonen, J
Foyle, T P *see* Hart, A M

Fraser, L *see* Babiak, I
Funge-Smith, S.J. *see* Cowan, V.J.

Galemoni, F *see* De Graaf, G J
Garcia Aguilar, N, Martinez Palcios, C A & Ross, L G. Controlled anaesthesia of *Rana catesbeiana* (Shaw) and *Rana pipiens* (Schreber 1792) using xylocaine delivered by spray, 309
García De La Banda, I *see* Chereguini, O
García García, R *see* López-Ruiz, J L
Gela, D *see* Duda, P
Genovese, L *see* Micale, V
Gingerich, W H *see* Stehly, G R
Glamuzina, B, Kožul, V, Tutman, P & Skaramuca, B. Hybridization of Mediterranean groupers: *Epinephelus marginatus* ♀ × ♂ *E. aeneus* and early development, 625
Glibert, P M *see* Burford, M A
Glogowski, J, Babiak, I, Kucharczyk, D, Luczynski, M & Piros, B. Some properties of bream *Abramis brama* L. sperm and its cryopreservation, 765
Goryczko, K *see* Babiak, I
Grzywaczewski, R *see* Brzuska, E
Guijarro, A I, Delgado, M J, Pinillos, M L, López-Patiño, M A, Alonso-Bedate, M & de Pedro, N. Galanin and β-endorphin as feeding regulators in cyprinids: effect of temperature, 483

Hamre, K *see* Bjerkeng, B
Hand, R E, Nell, J A, Reid, D D, Smith, I R & Maguire, G B. Studies on triploid oysters in Australia: effect of initial size on growth of diploid and triploid Sydney rock oysters, *Saccostrea commercialis* (Iredale & Roughley), 35
Hansen, T K *see* Falk-Petersen, I-B
Hansen, T *see* Oppedal, F
Harpaz, S, Sklan, D, Karplus, I, Barki, A & Noy, Y. Evaluation of juvenile silver perch *Bidyanus bidyanus* (Mitchell) nutritional needs using high- and low-protein diets at two feeding levels, 603
Harris, A M *see* Page, G I
Hart, A M, Bell, J D, Lane, I & Foyle, T P. Improving culture techniques for village-based farming of giant clams (Tridacnidae), 175
Hatlen, B *see* Bjerkeng, B
Haylor, G S *see* Hossain, M A R
Hayworth, K M *see* Page, G I
Heath, P L & Wilson, J H. Assessment of Pacific oyster, *Crassostrea gigas* (Thunberg), size and quality using a computer-based shape analysis technique, 299
Hecht, T *see* Deacon, N
Hickman, R W, Illingworth, J, Forman, J & Kendrick, T H. A pump-pot nursery system for rearing juvenile New Zealand dredge oysters *Tiostrea lutaria*, 673
Horne, H L *see* Rosenblum, P M
Horváth, Á *see* Urbányi, B
Horváth, L *see* Urbányi, B
Hossain, M A R, Batty, R S, Haylor, G S & Beveridge, M C M. Diel rhythms of feeding activity in African catfish, *Clarias gariepinus* (Burchell 1822), 901
Huisman, E A *see* De Graaf, G J

Ibarra, A M *see* Pérez-Rostro, C I
Illingworth, J *see* Hickman, R W

Inglis, V *see* Crumlish, M

Jafri, A K *see* Erfanullah
Jimenez, R, Barniol, R, de Barniol, L & Machuca, M. Infection of IHHN virus in two species of cultured penaeoid shrimp *Litopenaeus vannamei* (Boone) and *Litopenaeus stylirostris* (Stimpson) in Ecuador during El Niño 1997–98, 695
Jimenez, R, Barniol, R, de Barniol, L & Machuca, M. Intranuclear inclusion bodies in the hepatopancreas in cultured penaeoid shrimp *Litopenaeus vannamei* (Boone) in Ecuador, 725
Jobling, M & Johansen, S J S. The lipostat, hyperphagia and catch-up growth, 473
Jobling, M *see* Sæther, B-S
Johansen, S J S *see* Jobling, M
Johnsson, J I *see* Devlin, R H
Jones, A B & Preston, N P. Sydney rock oyster, *Saccostrea commercialis* (Iredale & Roughley), filtration of shrimp farm effluent: the effects on water quality, 51
Jönsson, E *see* Devlin, R H
Juell, J-E *see* Oppedal, F
Juinio-Menez, M A *see* Tahil, A S

Kadri, S *see* Blyth, P J
Kamarudin, M S *see* Roustaian, P
Karpinski, A *see* Zakes, Z
Karplus, I *see* Harpaz, S
Kendrick, T H *see* Hickman, R W
Kentouri, M *see* Maragoudaki, D
Khan, S *see* Wahab, M A
Kim, B G *see* Divakaran, S
Kirubagaran, R *see* Tiwary, B K
Knudsen, H & Tveite, S. Survival and growth of juvenile lobster *Homarus gammarus* L. raised for stock enhancement within *in situ* cages, 421
Kožul, V *see* Glamuzina, B
Korsøen, Ø *see* Talbot, C
Kristiansen, H R. Discrete and multiple meal approaches applied in a radiographic study of feeding hierarchy formation in juvenile salmonids, 519
Kritsanapuntu, A *see* Chaitanawisuti, N
Kucharczyk, D *see* Glogowski, J
Kuzminski, H *see* Babiak, I

Lane, I *see* Hart, A M
Latini, A O *see* De Marco, Jr P
Law, F C P *see* Namdari, R
Lee, P.G. *see* Domingues, P.M.
Leung, K M Y, Chu, J C W & Wu, R S S. Interacting effects of water temperature and dietary protein levels on post-prandial ammonia excretion by the areolated grouper *Epinephelus areolatus* (Forskål), 793
Liltved, H & Cripps, S J. Removal of particle-associated bacteria by prefiltration and ultraviolet irradiation, 445
Linhart, O *see* Duda, P
López-Patiño, M A *see* Guijarro, A I
López-Ruiz, J L, García García, R & Ferreiro Almeda, M S. Culture of the microalgae *Chaetoceros muelleri* with Zecer-56, a natural zeolitic product, 199
Lorenzen, K. Nitrogen recovery from shrimp pond effluent: dissolved nitrogen removal has greater overall potential

than particulate nitrogen removal, but requires higher rates of water exchange than presently used, 923
Lorenzen, K. *see* Cowan, V.J.
Løvik, F *see* Øverli, Ø
Luczynski, M *see* Glogowski, J
Luís, O *see* Narciso, L
Lulhier, F *see* Barcellos, L J G
Lutz, C G & Wolters, W R. Mixed model estimation of genetic and environmental correlations in red swamp crawfish *Procambarus clarkii* (Girard), 153
Lymbery, A J *see* Doupé, R G

Mac Dougall, N (deceased) & Black, K D. Determining sediment properties around a marine cage farm using acoustic ground discrimination: RoxAnn™, 451
Machuca, M *see* Jimenez, R
Maguire, G B *see* Hand, R E
Maguire, J A, Cashmore, D & Burnell, G M. The effect of transportation on the juvenile scallop *Pecten maximus* (L.), 325
Magyary, I *see* Urbányi, B
Maragoudaki, D, Paspatis, M & Kentouri, M. Influence of stocking density on growth of juvenile red porgy *Pagrus pagrus* L. under different feeding conditions, 501
Maricchiolo, G *see* Micale, V
Martinez Palcios, C A *see* Garcia Aguilar, N
Mathavan, S *see* Sheela, S G
Mayer, R J *see* Doroudi, M S
Mazzola, A, Favaloro, E & Sarà, G. Experiences of integrated mariculture in a southern Tyrrhenian area (Mediterranean Sea), 773
McCracken, K J *see* Weatherup, R N
Menasveta, P *see* Chuntapa, B
Micale, V, Maricchiolo, G & Genovese, L. The reproductive biology of the amberjack, *Seriola dumerilii* (Risso 1810). I. Oocyte development in captivity, 349
Mitchell, D F *see* Blyth, P J
Mladenov, P V *see* Preece, M A
Morais, S *see* Pousão-Ferreira, P
Mork, O I, Bjerkeng, B & Rye, M. Aggressive interactions in pure and mixed groups of juvenile farmed and hatchery-reared wild Atlantic salmon *Salmo salar* L. in relation to tank substrate, 571
Mortensen, A *see* Myoung, J G
Mukhopadhyay, N & Ray, A K. Improvement of quality of sesame *Seasamum indicum* seed meal protein with supplemental amino acids in feeds for rohu *Labeo rohita* (Hamilton) fingerlings, 549
Myoung, J G, Arnesen, A M & Mortensen, A. Effect of freshwater supply on the survival and growth of Atlantic salmon, *Salmo salar* L., '0+ autumn smolts' reared in sea cages during winter, 65

Nakamura, K *see* Ali, F
Namdari, R, Abedini, S & Law, F C P. A comparative tissue distribution study of oxytetracycline in rainbow trout, *Oncorhynchus mykiss* (Walbaum), and chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), 279
Nandeesha, M C *see* Veerina, S S
Narciso, L *see* Pousão-Ferreira, P
Narciso, L, Pousão-Ferreira, P, Passos, A & Luís, O. HUFA content and DHA/EPA improvements of *Artemia* sp. with commercial oils during different enrichment periods, 21
Nell, J A *see* Hand, R E
Nengas, I *see* Rigos, G
Nicolaiewsky, S *see* Barcellos, L J G
Nitithamyong, C *see* Chuntapa, B
Njoku, D C & Ejiogu, C O. On-farm trials of an integrated fish-cum-poultry farming system using indigenous chickens, 399
Norberg, J. Periphyton fouling as a marginal energy source in tropical tilapia cage farming, 427
Noy, Y *see* Harpaz, S

Olsen, R E & Ringø, E. Dominance hierarchy formation in Arctic charr *Salvelinus alpinus* (L.): nutrient digestibility of subordinate and dominant fish, 667
Olsen, R E *see* Øverli, Ø
Omar, H *see* Roustaian, P
Opitz, H M *see* Pahl, B C
Oppedal, F, Taranger, G L, Juell, J-E & Hansen, T. Growth, osmoregulation and sexual maturation of underyearling Atlantic salmon smolt *Salmo salar* L. exposed to different intensities of continuous light in sea cages, 491
Ostrowski, A C *see* Divakaran, S
Øiestad, V. Shallow raceways as a compact, resource-maximizing farming procedure for marine fish species, 831
Øverli, Ø, Olsen, R E, Løvik, F & Ringø, E. Dominance hierarchies in Arctic charr, *Salvelinus alpinus* L.: differential cortisol profiles of dominant and subordinate individuals after handling stress, 259

Page, G I, Hayworth, K M, Wade, R R, Harris, A M & Bureau, D P. Non-specific immunity parameters and the formation of advanced glycosylation end-products (AGE) in rainbow trout, *Oncorhynchus mykiss* (Walbaum), fed high levels of dietary carbohydrates, 287
Pahl, B C & Opitz, H M. The effects of cypermethrin (Excis) and azamethiphos (Salmosan) on lobster *Homarus americanus* H. Milne Edwards larvae in a laboratory study, 655
Pandian, T J *see* Sheela, S G
Parra, G & Yúfera, M. Tolerance response to ammonia and nitrite exposure in larvae of two marine fish species (gilthead seabream *Sparus aurata* L. and Senegal sole *Solea senegalensis* Kaup), 857
Partridge, G J & Southgate, P C. The effect of binder composition on ingestion and assimilation of microbound diets (MBD) by barramundi *Lates calcarifer* Bloch larvae, 879
Paspatis, M *see* Maragoudaki, D
Passos, A *see* Narciso, L
Perez, J E & Alfonsi, C. Selection and realized heritability for growth in the scallop, *Euvola ziczac* (L.), 211
Pérez-Rostro, C I, Ramirez, J L & Ibarra, A M. Maternal and cage effects on genetic parameter estimation for Pacific white shrimp *Penaeus vannamei* Boone, 681
Pinillos, M L *see* Guijarro, A I
Pirhonen, J & Forsman, L. Can smolting and maturation of hatchery-reared brown trout *Salmo trutta* L. be affected

© 1999 Blackwell Science Ltd.,

by food deprivation during the first and second years of rearing?, 611
Piros, B *see* Glogowski, J
Piyatiratitivorakul, S *see* Chuntapa, B
Pousão-Ferreira, P *see* Narciso, L
Pousão-Ferreira, P, Morais, S, Dores, E & Narciso, L. Eggs of gilthead seabream *Sparus aurata* L. as a potential enrichment product of *Brachionus* sp. in the larval rearing of gilthead seabream *Sparus aurata* L., 751
Preece, M A & Mladenov, P V. Growth and mortality of the New Zealand abalone *Haliotis iris* Martyn 1784 cultured in offshore structures and fed artificial diets, 865
Preston, N P *see* Jones, A B
Preston, N P, Brennan, D C & Crocos, P J. Comparative costs of postlarval production from wild or domesticated Kuruma shrimp, *Penaeus japonicus* (Bate), broodstock, 191
Pulatsü, S *see* Yavuzcan Yildiz, H
Purser, G J *see* Blyth, P J
Purser, J *see* Chen, W-M

Radics, F *see* Urbányi, B
Ramirez, J L *see* Pérez-Rostro, C I
Rasines, I *see* Chereguini, O
Ray, A K *see* Mukhopadhyay, N
Ray, A K *see* Tiwary, B K
Reid, D D *see* Hand, R E
Reis, A O *see* De Marco, P
Ridha, M T & Cruz, E M. Effect of different broodstock densities on the reproductive performance of Nile tilapia, *Oreochromis niloticus* (L.), in a recycling system, 203
Rigos, G, Alexis, M & Nengas, I. Leaching, palatability and digestibility of oxytetracycline and oxolinic acid included in diets fed to seabass *Dicentrarchus labrax* L., 841
Ringø, E & Birkbeck, T H. Intestinal microflora of fish larvae and fry, 73
Ringø, E *see* Olsen, R E
Ringø, E *see* Øverli, Ø
Ringø, E. Does *Carnobacterium divergens* isolated from Atlantic salmon, *Salmo salar* L., colonize the gut of early developing turbot, *Scophthalmus maximus* L., larvae?, 229
Riquelme, C E *see* Avendaòo, R E
Rosenblum, P M, Horne, H L & Swim, J D. Delayed ovarian development and reduced serum steroid levels in female largemouth bass, *Micropterus salmoides* Lacépède, raised on pelleted feed, 115
Ross, L G *see* Garcia Aguilar, N
Roustaian, P, Kamarudin, M S, Omar, H, Saad, C R & Ahmad, M H. Changes in fatty acid profile during larval development of freshwater prawn *Macrobrachium rosenbergii* (de Man), 815
Ruohonen, K. Modelling fish food consumption with artificial neural networks, 545
Rye, M *see* Mork, O I

Saad, C R *see* Roustaian, P
Sæther, B-S & Jobling, M. The effects of ration level on feed intake and growth, and compensatory growth after restricted feeding, in turbot *Scophthalmus maximus* L., 647
Sales, J, Britz, P J & Shipton, T. Quality characteristics of South African abalone *Haliotis midae* L. meat, 799
Santos, E A *see* Schmitt, A S C
Sarà, G *see* Mazzola, A
Schmitt, A S C & Santos, E A. Haemolymph nitrogenous constituents and nitrogen efflux rates of juvenile shrimp, *Penaeus paulensis* (Perez-Farfante), exposed to ambient ammonia-N, 1
Schultz, D R *see* Serafy, J E
Serafy, J E, Ault, J S, Capo, T R & Schultz, D R. Red drum, *Sciaenops ocellatus* L., stock enhancement in Biscayne Bay, FL, USA: assessment of releasing unmarked early juveniles, 737
Serrano-Pinto, V & Caraveo-Patiño, J. Survival of amarillo snapper *Lutjanus argentiventris* (Peters 1869) at different salinities in captivity, 467
Sheela, S G, Pandian, T J & Mathavan, S. Electroporatic transfer, stable integration, expression and transmission of pZpβypGH and pZpβrtGH in Indian catfish, *Heteropneustes fossilis* (Bloch), 233
Shipton, T *see* Sales, J
Skaramuca, B *see* Glamuzina, B
Sklan, D *see* Harpaz, S
Smailus, D E *see* Devlin, R H
Smith, I R *see* Hand, R E
Southgate, P C *see* Doroudi, M S
Southgate, P C *see* Partridge, G J
Stehly, G R & Gingerich, W H. Evaluation of AQUI-S™ (efficacy and minimum toxic concentration) as a fish anaesthetic/sedative for public aquaculture in the United States, 365
Strzezek, J *see* Babiak, I
Sumagaysay, N S. Feed ration for different sizes of wild and hatchery-bred milkfish (*Chanos chanos* Forsskal), 789
Sunde, L M *see* Falk-Petersen, I-B
Swim, J D *see* Rosenblum, P M

Tahil, A S & Juinio-Menez, M A. Natural diet, feeding periodicity and functional response to food density of the abalone *Haliotis asinina* L. (Gastropoda), 95
Talbot, C, Corneillie, S & Korsoen, Ø. Pattern of feed intake in four species of fish under commercial farming conditions: implications for feeding management, 509
Taranger, G L *see* Oppedal, F
Tayamen, M & Brown, J H. A condition index for evaluating larval quality of *Macrobrachium rosenbergii* (de Man 1879), 917
Telfer, T C *see* Chen, Y-S
Tiwary, B K, Kirubagaran, R & Ray, A K. Altered body shape as a morphometric indicator of triploidy in Indian catfish *Heteropneustes fossilis* (Bloch), 907
Turk, P.E. *see* Domingues, P.M.
Tutman, P *see* Glamuzina, B
Tveite, S *see* Knudsen, H

Urbányi, B, Horváth, Á, Varga, Z, Horváth, L, Magyary, I & Radics, F. Effect of extenders on sperm cryopreservation of African catfish, *Clarias gariepinus* (Burchell), 145

Valdimarsson, S K *see* Blyth, P J
Varga, Z *see* Urbányi, B

Veerina, S S, Nandeesha, M C, De Silva, S S & Ahmed, M. An analysis of production factors in carp farming in Andhra Pradesh, India. 805
Velasco, M *see* Divakaran, S
Vera-Muñoz, P *see* Flores-Nava, A
Vergara, C *see* Estay, F
Viyakarn, V *see* Chuntapa, B

Wade, R R *see* Page, G I
Wahab, M A, Azim, M E, Ali, M H, Beveridge, M C M & Khan, S. The potential of periphyton-based culture of the native major carp calbaush, *Labeo calbasu* (Hamilton). 409
Wathne, E *see* Bjerkeng, B
Weatherup, R N & McCracken, K J. Changes in rainbow trout, *Oncorhynchus mykiss* (Walbaum), body composition with weight. 305
Wilson, J H *see* Heath, P L
Wolters, W R *see* Lutz, C G
Wu, R S S *see* Leung, K M Y

Yúfera, M *see* Parra, G
Yavuzcan Yildiz, H & Pulatsü, S. Evaluation of the secondary stress response in healthy Nile tilapia (*Oreochromis niloticus* L.) after treatment with a mixture of formalin, malachite green and methylene blue. 379

Zakes, Z & Karpinski, A. Influence of water temperature on oxygen consumption and ammonia excretion of juvenile pikeperch, *Stizostedion lucioperca* (L.) reared in a recirculating system. 109
Zakes, Z *see* Demska-Zakes, K

© 1999 Blackwell Science Ltd.,

Subject Index

Abalone
  blackfoot paua, growth and mortality, 865
  donkey's ear, feeding pattern, 95
  South African, quality characteristics of meat, 799
Abramis brama L. *see* Bream, common
Acoustic ground discrimination, assessment of sediments, 451
Aggression, tank substrate-related, in Atlantic salmon, 571
Air exposure tolerance, Japanese clam, 629
Altitude, common carp and top-crossing, 911
Amberjack *see* Seabream, sharpsnout
Amino acids, supplemental, 549
Ammonia excretion
  areolated grouper, 793
  effects of ambient ammonia-N on shrimp, 1
  water temperature, pikeperch, 109
Ammonia toxicity
  gilthead seabream, 857
  Senegal sole, 857
Anaesthesia
  evaluation of AQUI-S™, 365
  of frogs, with xylocaine spray, 309
Anarhichas minor (Olafsen) *see* Wolffish, spotted
Androgens, induced sex reversal in pikeperch, 731
Antibiotics *see* Oxolinic acid, Oxytetracycline
AQUI-S™, evaluation as fish anaesthetic/sedative, 365
Artemia sp.
  HUFA content and DHA/EPA improvements, 21
  removal of particle-associated bacteria, 445
Astaxanthin, deposition in Atlantic salmon, 637
Australia
  environmental quality assurance for finfish aquaculture, 595
  growth of triploid/diploid rock oysters, 35
Azamethiphos, effects on lobster, 655

Babylonia areolata (Link 1807) *see* Babylon, spotted
Babylon, spotted, effects of feeding regimes, 589
Bacteria
  improved disease resistance in *R. rugulosa*, 431
  intestinal microflora of larvae and fry, 73
  particle-associated, removal, 445
  see also Probiotic bacteria
Bamboo, in culture of major carp calbaush, 409
Barley, evaluation in tilapia feed, 265
Barramundi, use of microbound diets, 879
Bass
  largemouth, diet composition and ovarian development, 115
  see also Seabass
Bean, winged, in catfish diet, 249
Benthic impact, sediment properties around marine cages, 451
Bidyanus bidyanus (Mitchell) *see* Perch, silver
Body composition
  carbohydrate sources, and Indian catfish, 43
  changes in rainbow trout, 305
  effects of dietary protein on tilapia, 385
Body shape, morphometric indicator of triploidy, 907

Bream
  common, sperm properties and cryopreservation, 765
  red sea, feeding patterns and management, 509
  see also Seabream
Bullfrog *see* Frog, bullfrog

Cage culture
  Atlantic salmon
    feeding patterns, 539
    freshwater supply, 65
    light intensity and growth, 491
  feeding patterns and management, 509
  genetic parameters in white shrimp, 681
  integrated mariculture, 773
  marine, assessment of sediments, 451
  survival and growth of lobster, 421
  tilapia
    Nile, mass selection procedure, 373
    periphyton as energy source, 427
Caranx melampygus (Cuvier 1833) *see* Trevally, bluefin
Carassius auratus see Goldfish
Carbohydrates *see* Diet, carbohydrates
Carnobacterium divergens, colonization of Atlantic salmon and turbot, 229
Carp
  catla, production factors in India, 805
  common, top-crossing, and altitude, 911
  grass, induced spawning, 849
  major (calbaush), periphyton-based culture, 409
  mrigal, production factors in India, 805
  rohu
    production factors in India, 805
    supplemented diets, 549
  silver, induced spawning, 849
  strain Dor-70, stimulation of ovulation, 559
Catfish
  African
    diel rhythms of feeding activity, 901
    sperm cryopreservation, 145
    use of winged bean meal in diets, 249
  European, artificial spawning, 59
  Indian
    effects of dietary carbohydrates, 43
    morphometric indicator of triploidy, 907
    putative transgenic, 233
Catla catla (Hamilton-Buchanan) *see* Carp, catla
Chaetoceros muelleri, culture with Zecer-56, 199
Chanos chanos (Forsskal) *see* Milkfish
Charr, Arctic
  dominance hierarchies and stress response, 259
  social hierarchy and digestibility, 667
Chemotherapeutants, effects of cypermethrin and azamethiphos on lobster, 655
Chickens, fish-cum-poultry farming system, 399
Chile, reproductive performance of Atlantic salmon, 759
Cirrhinus mrigala (Hamilton) *see* Carp, mrigal
Clam
  giant, techniques for village farming, 175
  Japanese, air exposure tolerance and respiration, 629
Clarias gariepinus (Burchell) *see* Catfish, African
Colour, astaxanthin deposition in Atlantic salmon, 637

© 1999 Blackwell Science Ltd.

Computer analysis
control of sperm cryopreservation, 707
shape assessment of Pacific oysters, 299
Condition index, larval quality of freshwater prawn, 917
Cortisol response
Arctic charr, 259
Nile tilapia, 437
Costs *see* Economics
Crassostrea gigas (Thunberg) *see* Oyster, Pacific
Crawfish, red swamp, genetic and environmental correlations in, 153
Cryopreservation, sperm
African catfish, 145
common bream, 765
rainbow trout, 707
Ctenopharyngodon idella (Valenciennes) *see* Carp, grass
Culture methods
fish-cum-poultry farming system, 399
intestinal microflora of larvae and fry, 73
mysid, static water system, 135
pikeperch, temperature in recirculating system, 109
pump-pot nursery system for oysters, 673
shallow raceways for marine fish species, 831
village farming of giant clams, 175
Cypermethrin, effects on lobster, 655
Cyprinids, neuropeptides as feeding regulators in, 483
Cyprinus carpio L. *see* Carp, common

Dicentrarchus labrax L. *see* Seabass
Diet
abalone (blackfoot paua), growth and mortality, 865
African catfish, use of winged bean meal, 249
amino acids, supplemental, 549
areolated grouper, ammonia excretion and, 793
Atlantic salmon, astaxanthin deposition, 637
barley, in tilapia feed, 265
barramundi, microbound diets, 879
black tiger shrimp, optimal semi-purified diets, 825
carbohydrates
growth of Indian catfish, 43
immune parameters in rainbow trout, 287
in semi-purified diets for tiger shrimp, 825
composition, ovarian development in largemouth bass, 115
digestive enzymes of threadfin and trevally, 781
donkey's ear abalone, natural food spectrum, 95
duckweed as protein source, 313
gilthead seabream, eggs, as enrichment product, 751
greenback flounder, digestibility of soybean meal, 719
grey mullet, heat-treated feed and exogenous zymogen, 165
HUFA content and DHA/EPA improvements of *Artemia* sp., 21
Indian catfish, carbohydrate source, 43
largemouth bass, composition, and reproductive performance, 115
major carp, periphyton-based culture, 409
microbound, binder composition and, 879
Pacific white shrimp, proteolytic enzyme addition to feed, 335
periphyton
culture of major carp calbaush, 409
in tilapia cage farming, 427
protein *see* Protein
proteolytic enzyme addition to shrimp feed, 335
rainbow trout, carbohydrates and immune parameters, 287
rohu, supplemented, 549
seabass, oxytetracycline and oxolinic acid in, 841
sesame seed meal, supplementation, 549
silver perch, evaluation of nutritional needs, 63
soybean meal, digestibility for greenback flounder, 719
tilapia
duckweed in, 313
effects of protein, 385
evaluation of barley in feed, 265
periphyton as energy source, 427
winged bean meal, African catfish, 249
Digestibility
oxytetracycline and oxolinic acid in seabass diets, 841
social hierarchy of Arctic charr and, 667
soybean meal for greenback flounder, 719
Digestive enzymes, of threadfin and trevally, 781
Diplodus puntazzo (Cetti 1777), integrated mariculture, 773
DNA, genotyping fish oocytes based on PCR, 465
Dominance
feeding hierarchies in salmonids, 519
hierarchies in Arctic charr, 259, 667
social hierarchy and stress response in Nile tilapia, 887
Dragonfly, assemblage in aquaculture ponds, 357
Drum, red, release of unmarked juveniles, 737
Duckweed, protein foodstuff for Nile tilapia, 313

Economics, postlarval production of Kuruma shrimp, 191
Ecuador
IHHN virus infection in blue and Pacific white shrimp, 695
intranuclear inclusions in Pacific white shrimp, 725
Egypt, survival and growth of grey mullet, 165
El Niño, IHHN virus infection and, 695
Epinephelus aeneus see Grouper, Mediterranean
Epinephelus areolatus (Forskål) *see* Grouper, areolated
Epinephelus marginatus see Grouper, Mediterranean
Euvola ziczac L. *see* Scallop

Faeces, salmon, characteristics and nutrient content, 395
Fatty acids
diet improvements for *Artemia* sp., 21
profile, freshwater prawn, 815
Feed conversion
carbohydrate sources, and Indian catfish, 43
effect of reduced salinity on spotted grunter, 13
effects of feeding regimes on spotted babylon, 589
Feed deprivation
diel feeding rhythms of greenback flounder, 529
effects on brown trout, 611
Feeding
behaviour
bullfrog tadpoles, 341
competitive intake of transgenic salmon, 479
diel rhythms of African catfish, 901
diel rhythms of greenback flounder, 529
hierarchies in salmonids, 519
lipostat, hyperphagia and catch-up growth, 473
neuropeptides as regulators in cyprinids, 483
red porgy, stocking density, 501
threadfin and trevally, 781
consumption, neural network model, 545
patterns
Atlantic salmon, 539
cage-reared fish, 509
donkey's ear abalone, 95
ration for milkfish, 789
regimes, effects on spotted babylon, 589
restrictions, compensatory growth in turbot, 647
Fertilization, artificial, in turbot, 319
Fillet *see* Body composition, Colour

Filtration, removal of particle-associated bacteria, 445
Finfish, environmental quality assurance for aquaculture, 595
Flounder, greenback
  diel feeding rhythms, 529
  digestibility of soybean meal, 719
Frog
  bullfrog
    controlled anaesthesia, 309
    growth, metamorphosis and feeding behaviour, 341
  improved disease resistance, 431
  Leopard, controlled anaesthesia, 309
  R. rugulosa (Daudin), improved disease resistance, 431
Fry, intestinal microflora of, 73

Genetic factors
  environmental correlations in red swamp crawfish, 153
  feeding behaviour of GH-transgenic salmon, 479
  genetic changes in *O. shiranus* in Malawi, 579
  genotyping fish oocytes based on PCR, 465
  growth of scallop, 211
  mass selection procedure for tilapia, 373
  parameter estimation for white shrimp, 681
  putative transgenic catfish, 233
  top-crossing, common carp and, 911
  triploidy induction in Pacific white shrimp, 621
  variation and similarity in two penaeid species, 459
β-Glucan, improved disease resistance and, 431
Goldfish, neuropeptides as feeding regulators in, 483
Grouper
  areolated, temperature, protein and ammonia excretion, 793
  Mediterranean, hybridization, 625
Growth
  abalone (blackfoot paua) fed artificial diets, 865
  Atlantic salmon, light intensity in sea cages, 491
  bullfrog tadpoles, feeding behaviour, 341
  catch-up, hyperphagia and the lipostat, 473
  catfish, dietary carbohydrates and, 43
  compensatory, in turbot, 647
  diet
    carbohydrates, and Indian catfish, 43
    effects of protein on Nile tilapia, 385
    proteolytic enzyme addition to shrimp feed, 335
  environmental effects on mysid culture, 135
  grey mullet, heat-treated feed and zymogen, 165
  light intensity, and Atlantic salmon, 491
  lobster, and cage production, 421
  mysid, environmental effects and, 135
  Nile tilapia, effects of protein, 385
  Pacific white shrimp, proteolytic enzyme addition to feed, 335
  red porgy, and stocking density, 501
  reduced salinity, and spotted grunter, 13
  rock oysters, effect of size grade, 35
  scallop, selection and realized heritability, 211
  size grade, and rock oysters, 35
  spotted babylon, effects of feeding regimes, 589
  turbot, feeding restrictions and, 647
Growth hormone, transgenic coho salmon, feeding behaviour, 479
Grunter, spotted, effect of reduced salinity, 13

Halibut, Atlantic, production in shallow raceways, 831
Haliotis asinina L. *see* Abalone, donkey's ear (tropical)
Haliotis iris (Martyn 1784) *see* Abalone, blackfoot paua
Haliotis midae L. *see* Abalone, South African
Hepatopancreas, intranuclear inclusions in shrimp, 725
Heteropneustes fossilis (Bloch) *see* Catfish, Indian
Hippoglossus hippoglossus L. *see* Halibut, Atlantic
Homarus americanus (H. Milne Edwards) *see* Lobster
Homarus gammarus L. *see* Lobster
Humidity (relative), air exposure tolerance of Japanese clam, 629
Hybridization, Mediterranean groupers, 625
Hyperphagia, catch-up growth, and the lipostat, 473
Hypophthalmichthys molitrix (Valenciennes) *see* Carp, silver

IHHN virus, infection in blue and Pacific white shrimp, 695
Immune system
  dietary carbohydrate effects in rainbow trout, 287
  improved disease resistance in *R. rugulosa*, 431
Inclusion bodies, intranuclear, in Pacific white shrimp, 725
India, production factors in carp farming, 805
Induced spawning
  LHRH-a, grass carp and silver carp, 849
  LHRH-a and pituitary extract, catfish, 59
  pituitary extract and Ovopel, carp, 559
Infectious hypodermal and haematopoietic necrosis virus *see* IHHN virus

Labeo calbasu (Hamilton) *see* Carp, major (calbaush)
Labeo rohita (Hamilton) *see* Rohu
Larvae, intestinal microflora of, 73
Lates calcarifer (Bloch) *see* Barramundi
LHRH, induced spawning
  in carp, 849
  in European catfish, 59
Light
  intensity and growth of Atlantic salmon, 491
  light-dark cycles, and feeding rhythms of greenback flounder, 529
Lipids, in semi-purified diets for tiger shrimp, 825
Lipostat, hyperphagia and catch-up growth, 473
Litopenaeus stylirostris (Stimpson) *see* Shrimp, blue
Litopenaeus vannamei (Boone) *see* Shrimp, Pacific white
Liza ramada (Risso) *see* Mullet, grey
Lobster
  cage production, 421
  effects of cypermethrin and azamethiphos, 655
Lutjanus argentiventris (Peters 1869) *see* Snapper, amarillo

Macrobrachium rosenbergii (de Man) *see* Prawn, freshwater
Malawi, genetic changes in *O. shiranus*, 579
Mariculture, integrated, 773
Mediterranean Sea, integrated mariculture, 773
Metamorphosis, bullfrog tadpoles, feeding behaviour, 341
Microalgae
  culture with Zecer-56, 199
  mixed-culture, and bivalve molluscs, 893
Microflora, intestinal, in larvae and fry, 73
Micropterus salmoides Lacépède *see* Bass, largemouth
Milkfish, feed ration for, 789
Models
  genetic and environmental correlations in red swamp crawfish, 153
  lipostat, hyperphagia and catch-up growth, 473
  neural network for fish food consumption, 545
  solid waste dispersion, 395
Molluscs
  bivalve, mixed-culture probiotics and microalgae as food, 893
  see also Specific species
Morphometric methods, body shape and triploidy, 907
Mullet, grey, survival and growth of larvae, 165

Mussel, integrated mariculture, 773
Mysid, environmental effects on culture, 135
Mysidopsis almyra (Bowman) *see* Mysid
Mytilus galloprovincialis (Lamarck) *see* Mussel

Neural network model, fish food consumption, 545
New Zealand
  growth and mortality of abalone (blackfoot paua), 865
  pump-pot nursery system for dredge oysters, 673
Nitrite toxicity
  gilthead seabream, 857
  Senegal sole, 857
Nitrogen
  effects of ambient ammonia-N on shrimp, 1
  recovery from shrimp pond effluent, 923
  uptake in shrimp ponds, 215

Odonata, assemblage in aquaculture ponds, 357
Oils, diet improvements for *Artemia* sp., 21
Oncorhynchus kisutch (Walbaum) *see* Salmon, coho
Oncorhynchus mykis (Walbaum) *see* Trout, rainbow
Oncorhynchus tshawytscha (Walbaum) *see* Salmon, chinook
Oreochromis mortimeri (Trewavas) *see* Tilapia
Oreochromis niloticus L. *see* Tilapia, Nile
Oreochromis shiranus (Trewavas) *see* Tilapia
Osmoregulation, light intensity, and Atlantic salmon, 491
Ovarian development, largemouth bass and pelleted feed, 115
Ovopel, in artificial spawning of carp, 559
Ovulation, induced, in European catfish, 59
Oxolinic acid, in seabass diets, 841
Oxygen consumption, water temperature, pikeperch, 109
Oxytetracycline
  leaching, palatability and digestibility in seabass diets, 841
  tissue distribution in trout and salmon, 279
Oyster
  black-lip pearl, effects of temperature and salinity, 271
  dredge, pump-pot nursery system, 673
  Pacific
    computer-based shape assessment, 299
    integrated mariculture, 773
  rock
    effect of initial size on growth, 35
    filtration of shrimp pond effluent, 51

Pagrus major see Bream, red sea
Pagrus pagrus L. *see* Porgy, red
Pecten maximus L. *see* Scallop
Penaeus brevirostris (Kingsley) *see* Shrimp, pink/crystal
Penaeus japonicus (Bate) *see* Shrimp, Kuruma
Penaeus (Litopenaeus) stylirostris see Shrimp, blue
Penaeus (Litopenaeus) vannamei (Boone) *see* Shrimp, Pacific white
Penaeus monodon (Fabricius) *see* Shrimp, tiger
Penaeus paulensis (Perez-Farfante) *see* Shrimp, pink
Perch, silver, evaluation of nutritional needs, 603
Periphyton
  in culture of major carp calbaush, 409
  in tilapia cage farming, 427
Philippines, mass selection procedure for tilapia, 373
Pikeperch
  sex reversal in, 731
  water temperature and, 109
Pinctada margaritifera L. *see* Oyster, black-lip pearl
Pituitary extract in artificial spawning
  carp, 559
  European catfish, 59
Plankton, removal of particle-associated bacteria, 445
Polydactylus sexfilis (Bloch & Schneider 1801) *see* Threadfin, Pacific
Pomadasys commersonnii (Lacépède) *see* Grunter, spotted
Pond rearing
  dragonfly assemblage and, 357
  oyster filtration of shrimp effluent, 51
  reproductive biology of Nile tilapia, 25
  shrimp, nitrogen turnover, 215, 923
  water quality in Thai shrimp ponds, 123
Porgy, red, influence of stocking density on growth, 501
Poultry, fish-cum-poultry farming system, 399
Prawn, freshwater
  condition index for larval quality, 917
  fatty acid profile during development, 815
Probiotic bacteria, 73
  C. divergens, Atlantic salmon and turbot, 229
  mixed-culture, and bivalve molluscs, 893
Procambarus clarkii (Girard) *see* Crawfish, red swamp
Protein
  ammonia excretion by areolated grouper, 793
  dietary, effects on Nile tilapia, 385
  duckweed in tilapia diets, 313
  efficiency ratio, effect of reduced salinity on spotted grunter, 13
  nutritional needs of silver perch, 63
  proteolytic enzyme addition to shrimp feed, 335
  in semi-purified diets for tiger shrimp, 825
  supplemental amino acids with, 549

Quality
  assurance, environmental, for finfish aquaculture, 595
  characteristics, of abalone meat, 799

Radiography, feeding behaviour hierarchies in salmonids, 519
Rana catesbeiana (Shaw) *see* Frog, Bullfrog
Rana pipiens (Schreber 1792) *see* Frog, Leopard
Rana rugulosa (Daudin) *see* Frog
Release, of red drum, 737
Reproductive performance
  amberjack, oocyte development in captivity, 349
  Atlantic salmon in Chile, 759
  biology of pond reared Nile tilapia, 25
  largemouth bass and pelleted feed, 115
  Nile tilapia, and broodstock density, 203
  stimulation of ovulation in carp, 559
Rhombosolea tapirina (Günther 1862) *see* Flounder, greenback
Rohu *see* Carp, rohu
Ruditapes philippinarum (Adams & Reeve) *see* Clam, Japanese

Saccostrea commercialis (Iredale & Roughley), 35
Salinity
  effects on black-lip pearl oyster, 271
  reduced, effect on growth of spotted grunter, 13
  survival of amarillo snapper, 467
Salmon
  Atlantic
    astaxanthin deposition in, 637
    Carnobacterium divergens and, 229
    faeces characteristics and nutrient content, 395
    feeding patterns and management, 509, 539
    freshwater supply, survival and growth, 65
    light intensity, and sea cage culture, 491
    reproductive performance in Chile, 759
    tank substrate-related interactions, 571
  chinook, tissue distribution of oxytetracycline, 279

© 1999 Blackwell Science Ltd.,

coho, GH-transgenic, competitive food intake, 479
Salmo salar L. *see* Salmon, Atlantic
Salmo trutta L. *see* Trout, brown
Salvelinus alpinus L. *see* Charr, Arctic
Scallop
effect of transportation on, 325
selection, realized heritability and growth, 211
Sciaenops ocellatus L. *see* Drum, red
Scophthalmus maximus L. *see* Turbot
Seabass, effects of antibiotics in diet, 841
Seabream
gilthead
eggs, as enrichment product, 751
tolerance to ammonia and nitrite exposure, 857
sharpsnout (amberjack)
integrated mariculture, 773
reproductive biology, 349
Sea lice, effects of cypermethrin and azamethiphos on lobster, 655
Seasonal effects
feeding patterns of Atlantic salmon, 539
water quality in Thai shrimp ponds, 123
Sedation, evaluation of AQUI-S™, 365
Seriola dumerili (Risso 1810) *see* Seabream, sharpsnout
Seriola quinqueradiata see Yellowtail
Sesame seed meal, supplementation for rohu, 549
Sex reversal, pikeperch, 731
Sexual maturation, light intensity, and Atlantic salmon, 491
Shrimp
blue, IHHN virus infection, 695
Kuruma
costs of postlarval production, 191
nitrogen uptake in ponds, 215
oyster filtration of pond effluent, 51
Pacific white
genetic parameters, 681
genetic variation and similarity with pink shrimp, 459
IHHN virus infection, 695
intranuclear inclusions, 725
proteolytic enzyme addition to feed, 335
triploidy induction, 621
pink, effects of ambient ammonia-N, 1
pink/crystal, genetic variation and similarity with white shrimp, 459
pond effluent, nitrogen recovery, 923
tiger
optimal semi-purified diets, 825
water quality in ponds, 123
Silurus glanis L. *see* Catfish, European
Smolting, effects of food deprivation on brown trout, 611
Snapper, amarillo, survival at different salinities, 467
Social interactions
stress response in Nile tilapia, 887
tank substrate-related, in Atlantic salmon, 571
see also Dominance
Solea senegalensis (Kaup) *see* Sole, Senegal
Sole, Senegal, tolerance to ammonia and nitrite exposure, 857
South Africa, quality characteristics of abalone meat, 799
Soybean meal, digestibility for greenback flounder, 719
Sparus aurata L. *see* Seabream, gilthead
Spawning, induced *see* Induced spawning
Sperm
cryopreservation
African catfish, 145
common bream, 765
rainbow trout, 707
properties, common bream, 765
Spirodela polyrrhiza L. Schleiden *see* Duckweed
Steroid levels, largemouth bass and pelleted feed, 115
Stizostedion lucioperca L. *see* Pikeperch
Stock enhancement, red drum, 737
Stocking density
growth of red porgy, 501
reproductive performance of Nile tilapia, 203
stress response in Nile tilapia, 887
survival and growth of mysid, 135
water quality in Thai shrimp ponds, 123
Stress
cortisol profiles of Arctic charr, 259
effect of transportation on scallops, 325
responses in Nile tilapia, 379, 437, 887

Tank, substrate-related interactions in Atlantic salmon, 571
Temperature
air exposure tolerance of Japanese clam, 629
ammonia excretion by areolated grouper, 793
effects on black-lip pearl oyster, 271
effects on mysid culture, 135
neuropeptides as feeding regulators in cyprinids, 483
pikeperch reared in recirculating system, 109
Tench, neuropeptides as feeding regulators, 483
Thailand, water quality in shrimp ponds, 123
Threadfin, Pacific, digestive enzymes, 781
Tilapia
Nile
broodstock density and reproductive performance, 203
duckweed as protein source, 313
effects of dietary protein, 385
evaluation of barley in feed, 265
mass selection procedure, 373
periphyton as energy source, 427
pond reared, reproductive biology, 25
stress responses, 379, 437, 887
O. shiranus, genetic changes in Malawi, 579
periphyton as energy source, 427
Tilapia rendalli (Boulenger) *see* Tilapia
Tinca tinca see Tench
Tiostrea lutaria see Oyster, dredge
α-Tocopherol, influence on astaxanthin deposition, 637
Transportation, effect on scallops, 325
Trevally, bluefin, digestive enzymes, 781
Tridacna crocea (Lamarck) *see* Clam, giant
Tridacna derasa (Röding) *see* Clam, giant
Tridacna maxima (Röding) *see* Clam, giant
Tridacna squamosa (Lamarck) *see* Clam, giant
Triploidy
growth of oysters in Australia, 35
induction in Pacific white shrimp, 621
morphometric indicator in Indian catfish, 907
Trout
brown
effects of food deprivation, 611
feeding hierarchy formation, 519
rainbow
changes in body composition with weight, 305
cryopreservation of sperm, 707
feeding hierarchy formation, 519
feeding patterns and management, 509
immune parameters and dietary carbohydrates, 287
tissue distribution of oxytetracycline, 279
Turbot
artificial fertilization, 319
Carnobacterium divergens and, 229

feeding and growth, 647
production in shallow raceways, 831

Ultraviolet radiation, removal of particle-associated bacteria, 445
USA, release of unmarked red drum, 737

Virus disease, in penaeoid shrimp, 695

Water quality
freshwater, survival and growth of Atlantic salmon, 65
oyster filtration of shrimp pond effluent, 51
in Thai shrimp ponds, 123
Winter culture, freshwater supply of Atlantic salmon, 65
Wolffish, spotted
cultivation, 711
production in shallow raceways, 831

Xylocaine spray, anaesthesia of frogs, 309

Yellowtail, feeding patterns and management, 509

Zeolitic products, culture of microalgae with Zecer-56, 199
Zymogen, survival and growth of grey mullet, 165

© 1999 Blackwell Science Ltd.,